

Addition and Subtraction

$$2 + 3 + 5 + 7$$

$$12 + 25 + 28 + 35$$

$$1.25 + 0.5 + 0.2$$

$$12 - 25 + 41 - 35 + 28$$

$$10 - 7 - 4$$

$$105 + 93 + 95 + 1107$$

$$\begin{array}{r} 34 \\ + 123 \\ \hline \end{array}$$

$$\begin{array}{r} 235 \\ - 98 \\ \hline \end{array}$$

$$2 - (14 + 136) + 31 - (215 - 24 - 27)$$

Multiplication and Division

$$3 \cdot 7$$

$$3 * 100$$

$$2 \times 15$$

$$0.5 \cdot 25$$

$$100 \div 20$$

$$4.5 : 1.5$$

$$2 \cdot 4 \cdot 5 \cdot 25$$

$$225 : 25 : 5$$

$$9 + (8 \cdot 7 - 6 + 5 \cdot 4) - 3 \cdot (2 + 1)$$

Fractions and Mixed numbers

$$\frac{1}{3} + \frac{3}{3} - \frac{5}{3} - \frac{2}{3}$$

$$(\frac{1}{2} - \frac{1}{3}) + (\frac{1}{4} - \frac{1}{5})$$

$$2\frac{1}{2} + 3\frac{3}{4}$$

$$\frac{3}{2} + 5\frac{3}{4} + \frac{2}{5} - 1\frac{3}{4}$$

$$(\frac{3}{4} + \frac{5}{6} + \frac{2}{3}) \cdot \frac{8}{9}$$

$$\frac{11}{4} : 7 + \frac{2}{7} : \frac{8}{5} + 2 : \frac{14}{15}$$

Complex fractions

$$\frac{\frac{1}{2} - \frac{1}{3}}{\frac{1}{4} - \frac{1}{3}}$$

$$\frac{(1 - \frac{1}{12}) \cdot (1 - \frac{1}{11})}{(1 - \frac{17}{16}) \cdot (1 - \frac{5}{3})}$$

$$1 - \frac{1 + \frac{1}{1+2}}{2 + \frac{1}{1+3}}$$

$$\frac{\frac{4}{3} + (1 : \frac{2}{3})}{3 + \frac{1}{5} - \frac{1}{5} \cdot \frac{3}{2} \cdot 10}$$

More complex arithmetic operations

$$-16 - (-4) + 23 \qquad \qquad -5 \times (-4) + 24 \div (-4)$$

$$\frac{5}{4} - \left(\frac{1}{2} - \frac{3}{4}\right) \qquad \qquad 45 + 25 \div (-5) * 3 - 2 * 11$$

$$\frac{3}{2} * \frac{1}{2} + \frac{1}{2} \div \frac{1}{4} \qquad \qquad \left(\frac{9}{4} - \frac{13}{8}\right) - \left(\frac{1}{4} - \frac{1}{2}\right)$$

$$31 - [11 - (-4 - 5 + 10) - 4]$$

$$-3.15 \cdot 2.04 + (-18.6) \times 0.35 + 49 * 2.02$$

$$-7.35 + 4.54 - 4.86 + 3.46$$

$$0.47 - 2.6 \cdot (5.17 - 0.3707 \div 0.044)$$

$$(3\frac{1}{4} \cdot 5\frac{3}{13} - 7\frac{1}{3} \cdot 2\frac{2}{11}) - 3.375 \cdot 1\frac{1}{9} - 3 : \frac{1}{4}$$

$$\frac{\frac{0.21}{0.75-0.6} - \frac{7}{6} : \left(\frac{1}{15} + \frac{3}{8} + \frac{29}{40}\right)}{\frac{28}{65} \cdot \left(\frac{9}{2} - \frac{25}{7}\right)}$$

Absolute values

$$|-4| + |5| - |-3| \quad |||4 - 2| - 4| + 2|$$

Exponentiation and Roots

$$(-7)^2 \quad 10^3 \cdot 10^2 \quad \sqrt{16} + 3$$

$$(-5)^3 \quad 5^5 : 5^2 : 5 \quad \sqrt{\frac{4}{25}}$$

$$\left(\frac{2}{3}\right)^2 \quad 3^{13} \cdot \left(\frac{1}{3}\right)^{13} \quad \sqrt{15} \cdot \sqrt{3}$$
$$\sqrt{28} : \sqrt{2}$$

$$(5abc)^3 \quad 3^7 \cdot \left(\frac{1}{12}\right)^7 \cdot 2^7 \quad \frac{1}{\sqrt{2}}$$

$$\frac{7^0 - \frac{1}{4} \cdot \left(\frac{2}{3}\right)^{-3}}{\sqrt[4]{4} - 1} \quad \frac{\left(\frac{2}{3}\right)^{-3} \cdot (2.5)^0 + 2^{-4}}{(-0.4)^{-2} - \left(\frac{4}{5}\right)^{-1}}$$

$$\sqrt{\frac{2}{5}} \sqrt{\frac{5}{27}} \cdot \sqrt{\frac{3}{2}} \quad \sqrt{x^2 - 4} \cdot \sqrt{\frac{x-2}{x+2}}$$

$$\sqrt{a-3} \cdot \sqrt{a+3} \cdot \sqrt{a^2-9}$$

Linear equations

$$\frac{2x}{3} = \frac{x}{4}$$

$$\frac{x - 2}{2} = \frac{3x - 3}{3}$$

$$\frac{x - 2}{4} - \frac{x - 3}{5} = \frac{x - 4}{5}$$

$$\frac{t - 5}{2} = 3$$

$$(x - 3) : 5 = 2 : 8$$

$$(3 - 2x) : 3 = (5 - 3x) : 4$$

$$3.72x + 3.48 \cdot 7 = 3.65(x + 7)$$

$$2x + 4 \cdot (14 - x) + 20 = 60$$

Linear equations with restrictions

$$\frac{x+3}{x+2} - 1 = 0$$

$$\frac{1}{x-1} + \frac{1}{x+1} = \frac{1}{-x+1}$$

$$\frac{1}{2x-2-x+3-x-1} = 2$$

$$\frac{x-5}{x-2} : \frac{x+2}{x+3} = 1$$

$$\frac{2}{x} + \frac{2}{x^2-x} = \frac{5}{3x-3}$$

Linear equations with parameters

Choose for which variable you want to solve the equation

$$3a + 5x = 2$$

$$-4y = 7 - 2x$$

$$-2x = \frac{1}{6}p$$

$$\frac{11}{3}x + 5 = 2\left(p - \frac{x}{5}\right)$$

Linear equations with absolute values

$$|x| + 3 = 5$$

$$|x - 4| = 9$$

$$|x + 2| = -7$$

$$|x + 1| = 0$$

$$|3x - 5| = |2x + 1|$$

$$|x + 1| + |x + 2| = 5$$

$$||x - 1| - 2| = 1$$

$$||2x + 3| - 4| = 1$$

Systems of linear equations

$$\begin{cases} y = 2x + 1 \\ y = 4x - 2 \end{cases}$$

$$\begin{cases} 3x = 12 \\ 4x - 5y = 6 \end{cases}$$

$$\begin{cases} 3x - y = 21 \\ 2x + y = 4 \end{cases}$$

$$\begin{cases} 2x - 3y = 14 \\ 4x + 5y = 18 \end{cases}$$

$$\begin{cases} \frac{4}{x} + \frac{6}{y} = 0 \\ \frac{3}{x} - \frac{4}{y} = -2\frac{5}{6} \end{cases}$$

$$\begin{cases} x^2 + 2xy + y^2 - 1 = 0 \\ 2x - y + 5 = 0 \end{cases}$$

$$\begin{cases} x + y + z = 6 \\ 2x + y - z = 1 \\ 3x - y + z = 4 \end{cases}$$

Trigonometric equations

$$\sin(x) = \cos(x)$$

$$\sin^2(x) - 3\sin(x) + 2 = 0$$

$$\sin(x)\cos(2x) + \cos(x)\sin(2x) = \frac{\sqrt{3}}{2}$$

$$\tan(x) = \frac{\sqrt{3}}{3}$$

$$\cos(3x - \pi) \cdot \tan(3x - \frac{\pi}{4}) = 0$$

$$\sin(2(x + 45^\circ)) = 1$$

$$\tan(x) * \sin(\frac{\pi}{2} - x) = 0$$

$$2\tan^3(x) = \tan(x)$$

Irrational equations

$$\sqrt{x} = 9$$

$$\sqrt{3x - 1} = \sqrt{2x + 4}$$

$$\sqrt{\frac{x - 2}{3 + x}} = 5$$

$$\sqrt{2x + \sqrt{3x + 1}} = 2$$

$$\frac{\sqrt{x}-1}{x-1} = 1 - \frac{1}{\sqrt{x}+1}$$

$$\sqrt{3x-1} - \sqrt{x+1} = \sqrt{2x+1} - \sqrt{2x-1}$$

$$\sqrt{11x+3} - \sqrt{2-x} = \sqrt{9x+7} - \sqrt{x-2}$$

$$\frac{1}{\sqrt{1-x}} \frac{1}{\sqrt{1+x}} - \frac{1}{\sqrt{1-x}} = 0$$

Inequalities

$$x + 3 < 0$$

$$2x + 5 > 7x - 3 + 5$$

$$\frac{2}{x+3} > 0$$

$$\frac{2x-1}{3} - \frac{3x+1}{4} < 1 - \frac{x}{12}$$

$$\frac{7x+1}{4x-3} \geq 2$$

$$\frac{x+5}{2x+6} \geq 0$$

$$x^2 - x - 2 \leq 0$$

$$1 + x^2 > 37$$

$$x^2 - 2x - 3 \geq 0$$

$$(2x-3)(3x+5) \geq 0$$

$$\frac{2}{x+3} \leq \frac{1}{x-3}$$

$$\frac{x^2 - 4x + 3}{x^2 - 3x + 2} \geq 0$$

Irrational inequalities

$$\sqrt{2x + \sqrt{3x + 1}} = 2$$

$$\sqrt{1 - 2x} < \sqrt{4 - x}$$

$$\frac{x - 5}{\sqrt{x + 1}} \geq 0$$

$$\sqrt{\sqrt{x}} \leq \sqrt{x}$$

$$\sqrt{4x^2 + 2x + 1} - \sqrt{x - 1} \geq 0$$

$$\sqrt{6x + 6} \geq \sqrt{3x} + \sqrt{3}$$

Exponential and logarithmic inequalities

$$8^{\frac{4}{5}x-3} < 8^{-7x}$$

$$\log_{\frac{1}{3}}(x - 1) > 1$$

$$3^x + 3^{x+1} > \frac{4}{9}$$

$$\log_{\frac{1}{2}}\left(\frac{3 - 2x}{x}\right) < 0$$

$$\frac{3^x}{3^x - 1} - \frac{1}{3^x + 1} \leq 0$$

$$\log_{10} \left(\frac{10}{x} \right) \cdot \log_{10} (10x) \geq \log_{10} \left(\frac{1}{10x} \right)$$

$$81^{3-x} < \left(\frac{1}{3}\right)^{5x-6}$$

$$\frac{x+5}{2x+6} \geq 0$$

$$25^x < 65^x$$

Absolute values inequalities

$$|x + 1| \geq 0$$

$$|x - 4| < 9$$

$$|x - 2| \cdot |x - 5| \leq 0$$

$$|x + 1| + |x + 2| > 5$$

$$|x| - |1 - 2x| < -0.5$$

$$|x - |2x - 0.5|| \geq |x - |2x - \frac{1}{2}||$$

$$||x - 1| - 2| > 1$$

Quadratic equations

$$x^2 - 4 = 0$$

$$(x - 2)^2 = 25$$

$$5x^2 + 48x = 0$$

$$16x^2 + 40x + 25 = 400$$

$$x^2 - 3x - 4 = 0$$

$$x^2 + x - 30 = 0$$

$$(x + 1)(x - 3) = 0$$

$$x^2\sqrt{2} - x\sqrt{8} = 0$$

$$x^4 + 3x^2 + 2 = 0$$

$$(k - 7)^4 - 13(k - 7)^2 + 36 = 0$$

Exponential and logarithmic equations

$$\log_4 x = -2$$

$$\frac{100}{1+e^{-x}} = 0.5$$

$$3^{3x-4} = 9^{2x-3}$$

$$25^{x-1} \cdot 2^{2x+1} - 8 = 0$$

$$\log_3 (3^x - 8) = 2 - x$$

$$\frac{e^x}{e^x - 4} = 3$$

$$9^x - 3^{x+1} = 4$$

$$2^{x^2+4x+5} = 2$$

Factorization and Algebraic fractions

$$a^2 - b^2$$

$$4x^2 - 9$$

$$4x^2 - 12xy + 9y^2$$

$$p^3 - q^3$$

$$8 + 36y + 54y^2 + 27y^3$$

$$x^4 - 2x^3 + 2x - 1$$

$$\frac{a^2 - 4}{2a - 4}$$

$$\frac{a^2 + ab}{ab + b^2}$$

$$\frac{a^2 + 4a + 4}{a^2 - 4}$$

$$\frac{(a - b)^2}{a^2 - b^2}$$

$$\frac{3x^2 + 11x + 6}{x + 3}$$

$$\frac{a^3 - ab^2}{a^3b - a^2b^2}$$

$$\frac{2x}{x + 2} \cdot \frac{x^2 + 2x}{x + 1}$$

$$\frac{x^2 + 4x + 4}{x - 3} \cdot \frac{5}{3x + 6}$$

$$\left(\frac{x}{x^2 - 36} - \frac{x - 6}{x^2 + 6x} \right) \div \frac{\frac{2x - 6}{x^2 + 6x} + \frac{x}{6 - x}}{1}$$

$$\frac{\frac{a+b}{a-b} - \frac{a-b}{a+b}}{1 - \frac{a^2+b^2}{a^2-b^2}} \cdot \frac{b + \frac{1}{a}}{a + \frac{1}{b}}$$

$$a^2(a + 1) - 2a(a + 1) + a + 1$$

$$a^2b(ab + b^2) - ab^2(a^2 - ab)$$

$$2(x + y + 1) - (x + y + 1)^2 - 1 \quad \frac{a^2 - 4}{4a^2} : \frac{a + 2}{2a + 4}$$

$$\frac{a^3 - 1}{1 + \frac{1}{a - \frac{a}{a+1}}} \cdot \frac{2x}{x+2} \cdot \frac{x^2 + 2x}{x+1}$$

Logarithmic and exponential functions

$$\log_3 3 \quad 3^{\log_9 25}$$

$$\log_6 36$$

$$\log_{0.2} 25 \quad 5^{\log_5 10}$$

$$\log_8 0.25$$

$$\log 0.0001 \quad \left(\frac{1}{3}\right)^{-2-\log_9 25}$$

$$2 \log_5 \sqrt{5} + 3 \log_2 8 \quad \log_5 2 + \log_5 2.5$$

$$\log_3 8 \cdot \log_8 9 \quad 3 \log_3 \sqrt[3]{3} - 2 \log_2 \sqrt{2}$$

Trigonometry

$$\sin(30^\circ)$$

$$\tan(45^\circ)$$

$$\csc(90^\circ)$$

$$\sin\left(\frac{2\pi}{3}\right)$$

$$\cos\left(\frac{3\pi}{4}\right)$$

$$\arcsin\left(-\frac{1}{2}\right)$$

$$\cos(100^\circ) \cos(40^\circ) + \sin(100^\circ) \sin(40^\circ)$$

$$\sin\left(\frac{11\pi}{12}\right) + \sin\left(\frac{5\pi}{12}\right)$$

$$\sin^2(1) + \cos^2(1)$$

$$\frac{2 \tan(a)}{1 - \tan^2(a)}$$

$$\frac{\cot^2(a) - 1}{2 \cot(a)}$$

$$\frac{3 \tan(t) - \tan^3(t)}{1 - 3 \tan^2(t)}$$

$$\frac{3 \cot(t) - \cot^3(t)}{1 - 3 \cot^2(t)}$$

Derivation and integration

$$\frac{d}{dx}(3x^2)$$

$$\frac{d}{dx}(\cos(\theta))$$

$$\frac{d}{dx}(x + x^2)$$

$$\frac{d}{dx}(3x^3 - 2x^2 + 3x - 1)$$

$$\frac{d}{dx}(x \cdot \ln(2x))$$

$$\frac{d}{dx}(\sqrt{2} \cdot \sin(3x))$$

$$\frac{d}{dx}((x^2 - 2x + 2)e^x)$$

$$\frac{d}{dx}\left(\ln\left(\frac{1+x^2}{1-x^2}\right)\right)$$

$$\int 2x \, dx$$

$$\int \sin 2x \, dx$$

$$\int \frac{1}{\sqrt{x}} \, dx$$

$$\int_1^e (x \cdot \ln(x)) \, dx$$

$$\int (2x^3 - 4x^2) \, dx$$

$$\int_2^3 \left(\frac{z}{1+z^2}\right) \, dz$$